



2 MP Range

	<p>CP-UNC-VA20L3S</p>	<p>CP PLUS IR Vandal Dome camera, 2MP PS CMOS Image Sensor, Day/Night(ICR), 3DNR, WDR, IP67, PoE, ONVIF 1/2.7" 2Megapixel progressive scan CMOS Max 25/30fps@1080P H.264 and MJPEG dual-stream encoding DWDR, Day/Night(ICR), Auto Iris, 3DNR, AWB, AGC, BLC 3.6mm fixed lens (2.8mm optional) Array Range of 30 Mtrs, , IK10 Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS Pro, vOptimus Pro</p>
	<p>CP-UNC-TA20L3S</p>	<p>CP PLUS IR BULLET Camera, 2MP PS CMOS Image Sensor, Day/Night(ICR), 3DNR, WDR, 3.6 mm fixed lens, IP67, PoE, ONVIF 1/2.7" 2Megapixel progressive scan CMOS 25/30fps@1080P H.264 and MJPEG dual-stream encoding DWDR, Day/Night(ICR), Auto Iris, 3DNR, AWB, AGC, BLC 3.6mm fixed lens (6mm optional) Array Range of 30 Mtrs, IP67, PoE Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS Pro, vOptimus Pro</p>
	<p>CP-UNC-VB20FL3-MS</p>	<p>CP PLUS IR Vandal Dome camera, 2MP PS CMOS Image Sensor, Day/Night(ICR), 3DNR, WDR, IP67, PoE, ONVIF 1/2.8" 2MP PS CMOS Image Sensor Max 25/30fps@1080P H.264 and MJPEG dual-stream encoding 2.7~12mm varifocal lens IR Range of 30 Mtrs, Memory Card, Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS Pro, vOptimus Pro</p>
	<p>CP-UNC-TB20FL6-MS</p>	<p>CP PLUS IR BULLET Camera, 2MP PS CMOS Image Sensor, Day/Night(ICR), 3DNR, WDR, IP67, PoE, ONVIF - 60Mtr.25/30fps@1080P(1920x1080) H.264 plus and H.264 dual-stream encoding 2.7~12mm varifocal lens IR Range of 60 Mtrs Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS Pro, vOptimus Pro</p>
	<p>CP-VNC-T20FR3-M</p>	<p>CP PLUS IR BULLET Camera, 1/2.8" CMOS, ICR,1920x1080:30fps, H.264/MJPEG, Triple streams, DC12V & PoE 3D DNR, DWDR, Corridor mode, ROI, Micro SD card slot, Alarm in/out 1/1, Audio, -30 to 60°C, IP66, 2.8-12mm Varifocal lens, IR range: up to 30m, NAA(Network-auto-adaptivity),Defog, IR anti-reflection window, Bulit-in bracket, ONVIF</p>



3 MP Range

	<p>CP-UNC-VA30L3S</p>	<p>CP PLUS IR Vandal Dome camera, 3MP Full HD WiFi - 30Mtr., Day/Night(ICR), 3DNR, WDR, IP67, PoE, ONVIF 1/3" 3MP PS CMOS Image Sensor Max 20fps@3M(2048x1536)&25/30fps@1080P(1920x1080) H.264 & MJPEG dual-stream encoding Wi-Fi support 3.6mm fixed lens (6mm optional) IP67, IK10, Micro SD Card Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS Pro, vOptimus Pro</p>
	<p>CP-UNC-TA30L3S</p>	<p>CP PLUS IR BULLET Camera, 3 MP HD IP Bullet Camera - 30Mtr., Day/Night(ICR), 3DNR, WDR, IP67, PoE, ONVIF Max 25fps@3MP, 25/30fps@1080P H.264 and MJPEG dual-stream encoding 2.8mm fixed lens (3.6mm optional) Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS Pro, vOptimus Pro</p>
	<p>CP-UNC-VB30ZL3-MS</p>	<p>CP PLUS IR Vandal Dome camera, 3MP PS CMOS Image Sensor, Day/Night(ICR), 3DNR, WDR, 2.7-12 mm Motorized lens, IP67, PoE, ONVIF 1/3" 3MP PS CMOS Image Sensor Max 20fps@3M and 25/30fps@1080P H.264 and MJPEG dual-stream encoding IR Range of 30 Mtrs, Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS Pro, vOptimus Pro</p>
	<p>CP-UNC-TB30ZL6-MS</p>	<p>CP PLUS IR BULLET Camera, IR Bullet, 3MP PS CMOS Image Sensor, Day/Night(ICR), 3DNR, WDR, 2.7-12 mm Motorized lens, IP67, PoE, ONVIF 1/3" 3MP PS CMOS Image Sensor 20fps@3M(1280x960) / 25/30fps@1080P(1920 x1080) H.264 and MJPEG dual-stream encoding IR Range of 60 Mtrs, IP67, PoE Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS Pro, vOptimus Pro</p>





4 MP Range



	<p>CP-UNC-VA40L3-M</p>	<p>CP PLUS IR Vandal Dome camera, 4MP PS CMOS Image Sensor, Day/Night(ICR), 3DNR, WDR, IP67, PoE, ONVIF 1/3" 4MP PS CMOS Image Sensor Max 20fps@4M,25/30fps@3M H.264 and MJPEG dual-stream encoding 3.6mm fixed lens (2.8mm optional) IR Range of 30 Mtrs Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS Pro, vOptimus Pro</p>
	<p>CP-UNC-TA40L3</p>	<p>CP PLUS IR BULLET Camera, 4MP PS CMOS Image Sensor, Day/Night(ICR), 3DNR, WDR, IP67, PoE, ONVIF 1/3" 4MP PS CMOS Image Sensor Max 20fps@4M,25/30fps@3M H.264 and MJPEG dual-stream encoding 2.8mm fixed lens (3.6mm optional) IR Range of 30 Mtrs, Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS Pro, vOptimus Pro</p>
	<p>CP-VNC-T40R3-MD</p>	<p>CP PLUS IR BULLET Camera, 1/3" CMOS, ICR, 1/3" 4MP PS CMOS Image Sensor Max 20fps@4MP H.264 and MJPEG Triple-stream Encoding WDR, Day/Night(ICR), 2D/3D-DNR, AWB, AGC, BLC 3.6mm fixed lens IR Range of 30 Mtrs, Micro SD, IP66, PoE Mobile Software for Android, iOS CMS Software: IVMS</p>
	<p>CP-UNC-VB40ZL3-VMD</p>	<p>CP PLUS IR Vandal Dome camera, 4MP PS CMOS Image Sensor, Day/Night(ICR), 3DNR, WDR, 2.7-12 mm Motorized lens, IP67, PoE, ONVIF 1/3" 4MP PS CMOS Image Sensor Max 20fps@4M and 25/30fps@3M H.264 and MJPEG dual-stream encoding IR Range of 30 Mtrs, IK10, SD Card Mobile Software: iCMOB, gCMOB CMS Software: KVMS Pro, vOptimus Pro</p>
	<p>CP-UNC-TB40ZL6-MD</p>	<p>CP PLUS IR BULLET Camera, 4MP PS CMOS Image Sensor, Day/Night(ICR), 3DNR, WDR, 2.7-12 mm Motorized lens, IP67, PoE, ONVIF 1/3" 4MP PS CMOS Image Sensor Max 20fps@4M and 25/30fps@3M H.264 and MJPEG dual-stream encoding IR Range of 60 Mtrs, SD Card Mobile Software: iCMOB, gCMOB CMS Software: KVMS Pro, vOptimus Pro</p>



SPEED DOME

	<p>CP-UNP-2020TL10-P</p>	<p>2 MP Full HD IP IR PTZ Camera 1/2.8" CMOS Image sensor Powerful 20x Optical and 16x Digital zoom Support Triple-streams encoding Max. 25/30fps@1080P and 50/60fps@720P Resolution DWDR, Day/Night(ICR), Ultra DNR, Auto iris, Auto focus Up to 300 Presets, 8 Tour, 5 Pattern, 5 Auto scan Max 400°/s pan speed, 360° endless pan rotation IR Range of 100 Mtr. Built-in 2/1 alarm in/out, IP66, PoE Plus Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS Pro, vOptimus Pro</p>
	<p>CP-UNP-2020TL10</p>	<p>2 MP Full HD 20x IP IR PTZ Camera 1/2.8" CMOS Image sensor Powerful 20x Optical and 16x Digital zoom Support Triple-streams encoding Max. 25/30fps@1080P and 50/60fps@720P Resolution DWDR, Day/Night(ICR), Ultra DNR, Auto iris, Auto focus Up to 300 Presets, 8 Tour, 5 Pattern, 5 Auto scan Max 240°/s pan speed, 360° endless pan rotation IR Range of 100 Mtr. Built-in 2/1 alarm in/out, IP66 Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS Pro, vOptimus Pro</p>

NVR SERIES

	<p>CP-UNR-404T1</p>	<p>USB2.0, HDMI / VGA simultaneous video output, Support Multi-brand network cameras, ONVIF 4 Ch. with 1080p Realtime Live View H.264/MJPEG dual codec decoding Up to 5Mp resolution preview & playback Max 80Mbps incoming bandwidth Support 1 SATA HDDs up to 4TB, 2 USB2.0 HDMI / VGA simultaneous video output Support Multi-brand network cameras ONVIF Version 2.3 conformance Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS, KVMS Pro</p>
	<p>CP-UNR-404T1-P4</p>	<p>4 Ch. with 1080p Realtime Live View H.264/MJPEG dual codec decoding Up to 5Mp resolution preview & playback Max 80Mbps incoming bandwidth Support 1 SATA HDDs up to 4TB, 2 USB2.0 HDMI / VGA simultaneous video output Support Multi-brand network cameras ONVIF Version 2.3 conformance, 4 Ports PoE Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS, KVMS Pro</p>



NVR SERIES



	<p>CP-UNR-408T2N</p>	<p>8 Ch. with 1080p Realtime Live View H.264/MJPEG dual codec decoding Up to 5Mp resolution preview&playback Max 200Mbps incoming bandwidth Support 2 SATA HDDs up to 8TB, 2 USB2.0 HDMI / VGA simultaneous video output Support Multi-brand network cameras ONVIF Version 2.4 conformance Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS, KVMS Pro</p>
	<p>CP-UNR-416T4</p>	<p>16 Ch. with 1080p Realtime Live View H.264/MJPEG dual codec decoding Up to 5Mp resolution preview&playback Max 200Mbps incoming bandwidth Support 4 SATA HDDs up to 16TB, 1 eSATA up to 16TB, 2 USB(1 USB3.0) HDMI / VGA / TV simultaneous video output Support Multi-brand network cameras ONVIF Version 2.3 conformance Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS, KVMS Pro</p>
	<p>CP-UNR-4K4324</p>	<p>Up to 32 channel IP camera input Up to 8ch@1080P(4ch@H.265+4ch@H.264) realtime live-view H.265/H.264/MJPEG dual codec decoding Up to 12Mp resolution preview and playback Max 256Mbps incoming bandwidth Support 4 SATA HDDs up to 24TB, 3 USB(2 USB3.0), 1 eSATA port up to 16TB 2 HDMI / VGA / TV simultaneous video output Support Multi-brand network cameras ONVIF Version 2.4 conformance Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS, KVMS Pro</p>
	<p>CP-UNR-4K632R8-V2</p>	<p>Up to 32 channel IP camera input Up to 12Mp resolution preview and playback Max 384Mbps incoming bandwidth Support 8 SATA HDDs up to 48TB, 4 USB(2 USB3.0), 1 eSATA port Support iSCSI to expand storage space 2 HDMI / 1 VGA simultaneous video output Support Multi-brand network cameras Support RAID 0/1/5/6/10/50/60 ONVIF Version 2.4 conformance Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS, KVMS Pro</p>

CP PLUS





COSMIC SERIES HD-Analogue SOLUTION



1 MP Range





	<p>CP-UVS-D1000L2A</p>	<p>CP PLUS IR Dome camera, 1/2.9" 1MP HQIS Pro, 25/30fps@720P, Day/Night(ICR), AWB, AGC, BLC, 3D- DNR, 3.6mm fixed lens, IR Range of 20 M, Smart IR</p>
	<p>CP-UVS-T1000L2A</p>	<p>1 MP HDCVI IR Bullet Camera - 20Mtr.1 MP HQIS Pro Image SensorMax 25/30fps@720PDay/Night(ICR), AWB, AGC, BLC, 2D-DNR3.6 mm fixed lensIR Range of 20 Mtrs.High speed, long distance real-time transmission, IP66</p>

2 MP Range


	<p>CP-VCG-SD20L2</p>	<p>2 MP Full HD Cosmic IR Dome Camera - 20 Mtr.1/2.7" 2 MP HQIS Pro Image sensor25/30fps @ 1080PDay/Night(ICR), AWB, AGC, BLC Plug-n-Play HD/SD Camera3.6mm Lens (6 mm Optional) Equipped with fine IR LEDs for clearer night visionIR Range of 20 Mtr.Compatible with HDx, AHD, HDCVI, CVBS and HDTVI DVRs</p>
	<p>CP-VCG-ST20L3</p>	<p>2 MP Full HD Cosmic IR Bullet Camera - 30 Mtr.1/2.7" 2 MP HQIS Pro Image sensor25/30fps @ 1080PDay/Night(ICR), AWB, AGC, BLC Plug-n-Play HD/SD Camera6mm LensEquipped with fine IR LEDs for clearer night vision IR Range of 30 Mtr. Compatible with HDx, AHD, HDCVI, CVBS and HDTVI DVRs IP66</p>
	<p>CP-VCG-SD20FL2</p>	<p>2 MP Full HD Cosmic IR Dome Camera - 40 Mtr.1/2.7" 2 MP HQIS Pro Image sensor25/30fps @ 1080PDay/Night(ICR), AWB, AGC, BLC Plug-n-Play HD/SD Camera2.8-12 mm Lens Equipped with fine IR LEDs for clearer night visionIR Range of .Compatible with HDx, AHD, HDCVI, CVBS and HDTVI DVRs</p>
	<p>CP-VCG-ST20FL5</p>	<p>2 MP HD Cosmic VF IR Bullet Camera - 50 Mtr.1.2.7" 2 MP HQIS Pro Image Sensor25/30fps@1080PDay/Night(ICR), AWB, AGC, BLC Plug-n-Play HD/SD Camera2.8~12 mm Varifocal Lens Equipped with fine IR LEDs for clearer night vision IR Range of 50 Mtr.Compatible with HDx, AHD, HDCVI, CVBS and HDTVI DVRsIP66</p>



2.4 MP Range

	<p>CP-VCG-SD24L2</p>	<p>2.4 MP Full HD Cosmic IR Dome Camera - 20 Mtr.1/2.7" 2.4MP HQIS Pro Image Sensor25/30fps@ 2.4MPDay/Night(ICR), AWB, AGC, BLC Plug-n-Play HD/SD Camera3.6 mm LensEquipped with fine IR LEDs for clearer night visionIR Range of 20 Mtr. Compatible with HDx, AHD, HDCVI, CVBS & HDTVI DVRs</p>
	<p>CP-VCG-ST24L3-0360</p>	<p>2.4 MP Full HD Cosmic IR Bullet Camera - 30 Mtr.1/2.7" 2.4MP HD Color Image sensor25/30fps@ 2.4MPDay/Night(ICR), AWB, AGC, BLC Plug-n-Play HD/SD Camera6 mm LensEquipped with fine IR LEDs for clearer night visionIR Range of 30 Mtr.Compatible with HDx, AHD, HDCVI, CVBS and HDTVI DVRsIP66</p>
	<p>CP-VCG-SD24FL2</p>	<p>2.4 MP Full HD Cosmic IR Dome Camera - 40 Mtr.1/2.7" 2 MP HQIS Pro Image sensor25/30fps @ 1080PDay/Night(ICR), AWB, AGC, BLC Plug-n-Play HD/SD Camera2.8-12 mm Lens Equipped with fine IR LEDs for clearer night visionIR Range of .Compatible with HDx, AHD, HDCVI, CVBS and HDTVI DVRs</p>
	<p>CP-VCG-ST24FL5</p>	<p>2.4 MP Full HD Cosmic VF IR Bullet Camera - 50 Mtr.1/2.7" 2.4MP HD Color Image sensor25/30fps@ 2.4MPDay/Night(ICR), AWB, AGC, BLC Plug-n-Play HD/SD Camera2.8-12mm LensEquipped with fine IR LEDs for clearer night visionIR Range of 50 Mtr.Compatible with HDx, AHD, HDCVI, CVBS and HDTVI DVRsIP66</p>

SPEED DOME

	<p>CP-UVP-20205L10</p>	<p>2 MP 1080P HDCVI IR PTZ Dome Camera1/2.8" Exmor HQIS Pro Image sensorPowerful 20x Optical and 16x Digital zoomBLC / HLC / DWDR Up to 300 presets, 5 auto scan, 8 tour, 5 patternIR Range of 100 Mtr.Max 400°/s pan speed, 360° endless pan rotation Built-in 2/1 alarm in/out, IP66 Mobile Software: iCMOB, gCMOB, Wcmob CMS Software: KVMS Pro, vOptimus Pro</p>
---	-------------------------------	--



DVR SERIES

	CP-UVR-0401E1-V3	4 Ch. 720P Compact 1U HDCVI DVR Support HDCVI/Analog/IP Video input All channel 720P Realtime Recording H.264 dual-stream Video Compression HDMI / VGA Simultaneous Video Output Support 1 SATA HDD up to 4TB, 2 USB2.0 Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS, KVMS Pro
	CP-UVR-0801E1	8 Ch. 720P Compact 1U HDCVI DVR Support HDCVI/Analog/IP Video input All channel 720P Recording H.264 dual-stream Video Compression HDMI / VGA Simultaneous Video Output Support 1 SATA HDD up to 4TB, 2 USB2.0 Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS, KVMS Pro
	CP-UVR-0801K1-V3	8 Ch. Tribrid 1080P HDCVI DVR Support HDCVI/Analog/IP Video input All channel 1080N/720P Realtime or 1080P non Realtime Recording H.264 dual-stream Video Compression HDMI / VGA Simultaneous Video Output Support 1 SATA HDD up to 6TB, 2 USB2.0 Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS, KVMS Pro
	CP-UVR-1601E2	16 Ch. Tribrid 720P HDCVI DVR Support HDCVI/Analog/IP Video input All channel 1080N/720P Realtime Recording H.264 dual-stream Video Compression HDMI / VGA Simultaneous Video Output Support 2 SATA HDD up to 12TB, 2 USB2.0 Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS, KVMS Pro
	CP-UVR-1601E2-V3	16 Ch. Tribrid 720P HDCVI DVR Support HDCVI/Analog/IP Video input All channel 1080N/720P Realtime Recording H.264 dual-stream Video Compression HDMI / VGA Simultaneous Video Output Support 2 SATA HDD up to 12TB, 2 USB2.0 Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS, KVMS Pro
	CP-UVR-1604K2-V3	16 Ch. Tribrid 1080P HDCVI DVR Support HDCVI/Analog/IP Video input All channel 720P Realtime or 1080P non-Realtime Recording H.264 dual-stream Video Compression HDMI / VGA Simultaneous Video Output Support 2 SATA HDD up to 8TB, 2 USB2.0 Mobile Software: iCMOB, gCMOB, wCMOB CMS Software: KVMS, KVMS Pro